Available online at www.sciencedirect.com
ScienceDirect
Ultrasonics 45 (2006) 215–216
Ultrasonics
www.elsevier.com/locate/ultras

Author Index to Volume 45

Alnot, P., see Le Brizoual, L. 100
Ayrault, C. and Griffiths, S.
Separation of viscothermal losses and scattering in ultrasonic characterization of porous media 40

Bang, H.S., see Li, M. 61
Basir, O.A., see Tsui, P.P.C. 1
Belloncle, V.V. and Rousseau, M.
Effect of the surface free energy on the behaviour of surface and guided waves 188
Biurström, J., see Yantchev, V. 208
Braden, D.R., see Zhang, G.-M. 82
Brayman, A.A., see Zderic, V. 113

Chimenti, D.E., see Holland, S.D. 121
Conoir, J.-M., see Robert, S. 178
Crum, L.A., see Zderic, V. 113

De Billy, M.
On the low vibration modes observed in a sphere submitted to a tangential contact force 127
Declercq, N.F., Degrieck, J. and Leroy, O.
Ultrasonic polar scans: Numerical simulation on generally anisotropic media 32
Degrieck, J., see Declercq, N.F. 32
Du, J., see Hu, J. 15

Echevarria, F.J., see Elvira, L. 92
El Hakiki, M., see Le Brizoual, L. 100
Elmazria, O., see Le Brizoual, L. 100
Elvira, L., Sampedro, L., Montero de Espinosa, F., Matesanz, J., Gómez-Ullate, Y., Resa, P., Echevarria, F.J. and Iglesias, J.R.
Eight-channel ultrasonic device for non-invasive quality evaluation in packed milk 92
Enlund, J., see Yantchev, V. 208

Ferrandis, J.Y., see Laux, D. 104
Franklin, H., see Robert, S. 178

Gatt, J.M., see Laux, D. 104
Gómez-Ullate, Y., see Elvira, L. 92
Griffiths, S., see Ayrault, C. 40
Guarino, A.J., see Pong, M. 133

Harvey, D.M., see Zhang, G.-M. 82
Hasheminejad, S.M. and Maleki, M.
Interaction of a plane progressive sound wave with a functionally graded spherical shell 165
Hirose, S., see Kimoto, K. 152
Holland, S.D., Roberts, R., Chimenti, D.E. and Song, J.H.
An ultrasonic array sensor for spacecraft leak direction finding 121
Hu, J., Yang, J., Xu, J. and Du, J.
Extraction of biologic particles by pumping effect in a π-shaped ultrasonic actuator 15

Iglesias, J.R., see Elvira, L. 92

Ji, H., see Li, M. 61

Katardjiev, I., see Yantchev, V. 208
Kimoto, K., Ueno, S. and Hirose, S.
Image-based sizing of surface-breaking cracks by SH-wave array ultrasonic testing 152
Krishnaswamy, S., see Zhang, F. 66

Laux, D., Ferrandis, J.Y., Leveque, G. and Gatt, J.M.
Elastic properties of composites: Periodical homogenisation technique and experimental comparison using acoustic microscopy and resonant ultrasonic spectroscopy 104
Le Brizoual, L., Elmazria, O., Sarry, F., El Hakiki, M., Talbi, A. and Alnot, P.
High frequency SAW devices based on third harmonic generation 100
Leroy, O., see Declercq, N.F. 32
Leveque, G., see Laux, D. 104
Lewin, P.A., see Pong, M. 133
Li, M., Ji, H., Wang, C., Bang, H.S. and Bang, H.S.
Interdiffusion of Al–Ni system enhanced by ultrasonic vibration at ambient temperature 61
Li, Z., see Liang, Z. 146
Liang, Z., Zhou, G., Zhang, Y., Li, Z. and Lin, S.
Vibration analysis and sound field characteristics of a tubular ultrasonic radiator 146
Lilley, C.M., see Zhang, F. 66
Lin, S., see Liang, Z. 146
Litniewski, J., see Pong, M. 133
Liu, Q., Wang, X., Wang, P., Qi, H., Zhang, K. and Xiao, L.
Sonodynamic effects of protoporphyrin IX disodium salt on isolated sarcoma 180 cells 56
Lüthi, Th., see Neuenschwander, J. 50

Maleki, M., see Hasheminejad, S.M. 165
Malischewsky, P.G., see Vinh, P.C. 77
Matesanz, J., see Elvira, L. 92
Montero de Espinosa, F., see Elvira, L. 92

Neuenschwander, J., Schmidt, Th., Lüthi, Th. and Romer, M.
Leaky Rayleigh wave investigation on mortar samples 50
Nowicki, A., see Pong, M. 133

doi:10.1016/S0041-624X(06)00428-8

Pong, M., Umchid, S., Guarino, A.J., Lewin, P.A., Litniewski, J., Nowicki, A. and Wrenn, S.P.
In vitro ultrasound-mediated leakage from phospholipid vesicles 133

Qi, H., see Liu, Q. 56
Qu, J., Sun, F. and Zhao, C.
Performance evaluation of traveling wave ultrasonic motor based on a model with visco-elastic friction layer on stator 22

Resa, P., see Elvira, L. 92
Robert, S., Conoir, J.-M. and Franklin, H.
Propagation of elastic waves through two-dimensional lattices of cylindrical empty or water-filled inclusions in an aluminum matrix 178
Roberts, R., see Holland, S.D. 121
Romer, M., see Neuenschwander, J. 50
Rousseau, M., see Belloncle, V.V. 188

Sampedro, L., see Elvira, L. 92
Sarry, F., see Le Brizoual, L. 100
Schmidt, Th., see Neuenschwander, J. 50
Shane Fazzio, R.
A derivation of the Christoffel equation with damping 196
Sharar, S.R., see Zderic, V. 113
Song, J.H., see Holland, S.D. 121
Sun, F., see Qu, J. 22

Talbi, A., see Le Brizoual, L. 100
Tsui, P.P.C. and Basir, O.A.
Wavelet basis selection and feature extraction for shift invariant ultrasound foreign body classification 1

Ueno, S., see Kimoto, K. 152
Umchid, S., see Pong, M. 133

Vaezy, S., see Zderic, V. 113
Vinh, P.C. and Malischewsky, P.G.
Explanation for Malischewskys approximate expression for the Rayleigh wave velocity 77

Wang, C., see Li, M. 61
Wang, P., see Liu, Q. 56
Wang, X., see Liu, Q. 56
Wrenn, S.P., see Pong, M. 133

Xiao, L., see Liu, Q. 56
Xu, J., see Hu, J. 15

Yang, J., see Hu, J. 15
Yantchev, V., Enlund, J., Biurström, J. and Katardjiev, I.
Design of high frequency piezoelectric resonators utilizing laterally propagating fast modes in thin aluminum nitride (AlN) films 208

Zderic, V., Brayman, A.A., Sharar, S.R., Crum, L.A. and Vaezy, S.
Microbubble-enhanced hemorrhage control using high intensity focused ultrasound 113
Zhang, F., Krishnaswamy, S. and Lilley, C.M.
Bulk-wave and guided-wave photoacoustic evaluation of the mechanical properties of aluminum/silicon nitride double-layer thin films 66
Zhang, G.-M., Harvey, D.M. and Braden, D.R.
Effect of sparse basis selection on ultrasonic signal representation 82
Zhang, K., see Liu, Q. 56
Zhang, Y., see Liang, Z. 146
Zhao, C., see Qu, J. 22
Zhou, G., see Liang, Z. 146

Available online at www.sciencedirect.com
ScienceDirect
Ultrasonics 45 (2006) 217
Ultrasonics
www.elsevier.com/locate/ultras

Subject Index to Volume 45

Acoustic attenuation, 196
Acoustic microscopy, 104
Acoustic scattering, 165
AlN, 208
Al–Ni system, 61
Anisotropy, 32

Cell damage, 56
Christoffel equation, 196
Composites, 104
Contact model, 22
Crack sizing, 152
Crystals, 32

Degradation, 50

Effects of ultrasonic, 61
Elastic lattices, 178
Extraction, 15

Fatigue crack, 152
Feature extraction, 1
FGM spherical shell, 165
Finite elements, 104
Foreign body classification, 1
Frequency equation, 146
Friction material, 22

Giant vesicles, 133
Guided eigenmodes, 188

Hemostasis, 113
High-intensity focused ultrasound, 113
Homogenisation, 104

Immersion technique, 50
Information theory, 1
Integrated devices, 208
Interdiffusion, 61
Interface model, 188

Lamb, 208
Lamb modes, 188
Leaky Rayleigh waves, 50
Liver injuries, 113

Materials characterization, 66
Membrane permeability, 133
Microbiological quality, 92
Microelectronic package, 82
Microorganism detection, 92
Mortar, 50

Non-invasive measurement, 92
Non-linearity, 127

Optison, 113

Particles, 15
PEG2000, 133
Phononic crystal, 178
Photoacoustics, 66
Piezoelectric effect, 196
Porous media, 40
Protoporphyrin IX disodium salt, 56
Pumping effect, 15

Radiation force, 165
Rayleigh wave velocity, 77
Rayleigh waves, 188
Resonance, 127
Resonances, 178
Resonant ultrasonic spectroscopy, 104
Resonator, 208

Sarcoma 180, 56
SAW, 208
Scanning acoustic microcopy, 82
π-shaped ultrasonic actuator, 15
Shift invariant, 1
Sound field characteristics, 146
Sparse basis selection, 82
Sputtering, 208
Stop bands, 178
Sulfate interaction, 50
Surface acoustic waves, 100
Surface free energy, 188
Synthetic aperture focusing, 152

The best approximation, 77
The principle of least squares, 77
Therapeutic ultrasound, 133
Thin films, 66
Third harmonic, 100
Time-reversal focusing, 152
Trauma, 113
Tubular radiator, 146

Ultrasonic characterization, 40
Ultrasonic imaging, 152
Ultrasonic motor, 22
Ultrasonic polar scans, 32
Ultrasonic process monitoring, 92
Ultrasonic signal representation, 82
Ultrasonic wedge bonding, 61
Ultrasonics, 50
Ultrasound, 56
Ultrasound contrast agents, 113
Ultrasound exposure, 133
Ultrasound NDT, 1

Vibration analysis, 146
Vibration modes, 127
Visco-elastic friction layer, 22
Viscothermal losses, 40

Wave propagation, 127
Wavelet basis selection, 1
Weak scattering, 40

Zinc oxide, 100

doi:10.1016/S0041-624X(06)00429-X

ULTRASONICS

Volume 45, Numbers 1–4, December 2006

Contents

Regular articles

P.P.C. Tsui and O.A. Basir
Wavelet basis selection and feature extraction for shift invariant ultrasound foreign body classification 1

J. Hu, J. Yang, J. Xu and J. Du
Extraction of biologic particles by pumping effect in a π-shaped ultrasonic actuator 15

J. Qu, F. Sun and C. Zhao
Performance evaluation of traveling wave ultrasonic motor based on a model with visco-elastic friction layer on stator 22

N.F. Declercq, J. Degrieck and O. Leroy
Ultrasonic polar scans: Numerical simulation on generally anisotropic media 32

C. Ayrault and S. Griffiths
Separation of viscothermal losses and scattering in ultrasonic characterization of porous media 40

J. Neuenschwander, Th. Schmidt, Th. Lüthi and M. Romer
Leaky Rayleigh wave investigation on mortar samples 50

Q. Liu, X. Wang, P. Wang, H. Qi, K. Zhang and L. Xiao
Sonodynamic effects of protoporphyrin IX disodium salt on isolated sarcoma 180 cells 56

M. Li, H. Ji, C. Wang, H.S. Bang and H.S. Bang
Interdiffusion of Al–Ni system enhanced by ultrasonic vibration at ambient temperature 61

F. Zhang, S. Krishnaswamy and C.M. Lilley
Bulk-wave and guided-wave photoacoustic evaluation of the mechanical properties of aluminum/silicon nitride double-layer thin films 66

P.C. Vinh and P.G. Malischewsky
Explanation for Malischewsky's approximate expression for the Rayleigh wave velocity 77

G.-M. Zhang, D.M. Harvey and D.R. Braden
Effect of sparse basis selection on ultrasonic signal representation 82

L. Elvira, L. Sampedro, F. Montero de Espinosa, J. Matesanz, Y. Gómez-Ullate, P. Resa, F.J. Echevarria and J.R. Iglesias
Eight-channel ultrasonic device for non-invasive quality evaluation in packed milk 92

L. Le Brizoual, O. Elmazria, F. Sarry, M. El Hakiki, A. Talbi and P. Alnot
High frequency SAW devices based on third harmonic generation 100

D. Laux, J.Y. Ferrandis, G. Leveque and J.M. Gatt
Elastic properties of composites: Periodical homogenisation technique and experimental comparison using acoustic microscopy and resonant ultrasonic spectroscopy 104

V. Zderic, A.A. Brayman, S.R. Sharar, L.A. Crum and S. Vaezy
Microbubble-enhanced hemorrhage control using high intensity focused ultrasound 113

S.D. Holland, R. Roberts, D.E. Chimenti and J.H. Song
An ultrasonic array sensor for spacecraft leak direction finding 121

M. De Billy
On the low vibration modes observed in a sphere submitted to a tangential contact force 127

M. Pong, S. Umchid, A.J. Guarino, P.A. Lewin, J. Litniewski, A. Nowicki and S.P. Wrenn
In vitro ultrasound-mediated leakage from phospholipid vesicles 133

Z. Liang, G. Zhou, Y. Zhang, Z. Li and S. Lin
Vibration analysis and sound field characteristics of a tubular ultrasonic radiator 146

K. Kimoto, S. Ueno and S. Hirose
Image-based sizing of surface-breaking cracks by SH-wave array ultrasonic testing 152

S.M. Hasheminejad and M. Maleki
Interaction of a plane progressive sound wave with a functionally graded spherical shell 165

S. Robert, J.-M. Conoir and H. Franklin
Propagation of elastic waves through two-dimensional lattices of cylindrical empty or water-filled inclusions in an aluminum matrix 178

V.V. Belloncle and M. Rousseau
Effect of the surface free energy on the behaviour of surface and guided waves 188

R. Shane Fazzio
A derivation of the Christoffel equation with damping 196

V. Yantchev, J. Enlund, J. Biurström and I. Katardjiev
Design of high frequency piezoelectric resonators utilizing laterally propagating fast modes in thin aluminum nitride (AlN) films 208

Calendar 213

Author Index to Volume 45 215

Subject Index to Volume 45 217